













Year	Month	Day	Time	Event	Category	Location	Duration	Frequency	Priority	Status	Notes
2024	1	1	10:00	Annual Meeting	Corporate	Conference Center	4h	1x	High	Completed	
2024	1	5	14:30	Product Launch	Marketing	Trade Show	2h	1x	Medium	Completed	
2024	1	15	09:00	Team Meeting	Operational	Headquarters	1h	Weekly	Low	Ongoing	
2024	1	20	16:00	Client Presentation	Sales	Client Office	1.5h	1x	High	Completed	
2024	1	25	08:00	Security Audit	IT	Data Center	4h	1x	Critical	Completed	
2024	2	1	11:00	Quarterly Review	Finance	Boardroom	3h	Quarterly	High	Completed	
2024	2	10	13:00	Employee Training	HR	Training Room	2h	Monthly	Medium	Ongoing	
2024	2	15	10:00	Vendor Meeting	Procurement	Vendor Office	1h	Bi-weekly	Medium	Ongoing	
2024	2	20	15:00	Market Analysis	Research	Research Lab	1.5h	Weekly	Medium	Ongoing	
2024	2	25	09:00	Compliance Check	Legal	Legal Dept	1h	Quarterly	High	Completed	
2024	3	1	08:00	System Upgrade	IT	IT Dept	8h	1x	Critical	In Progress	
2024	3	5	14:00	Customer Feedback	Support	Customer Center	1h	Weekly	Medium	Ongoing	
2024	3	10	11:00	Project Status	Project Mgmt	Project Room	1h	Daily	Low	Ongoing	
2024	3	15	16:00	Executive Briefing	Executive	Executive Office	1h	Weekly	High	Ongoing	
2024	3	20	09:00	Industry Conference	Networking	Convention Center	3h	1x	Medium	Completed	
2024	3	25	13:00	Partnership Meeting	Business Dev	Partner Office	1.5h	1x	High	Completed	
2024	4	1	10:00	Annual Report	Finance	Public Release	4h	1x	Critical	Completed	
2024	4	5	08:00	System Maintenance	IT	IT Dept	2h	Weekly	Medium	Ongoing	
2024	4	10	15:00	Internal Audit	Finance	Audit Room	2h	Quarterly	High	Completed	
2024	4	15	11:00	Client Onboarding	Sales	Client Office	1h	Weekly	Medium	Ongoing	
2024	4	20	14:00	Product Demo	Marketing	Trade Show	1h	1x	Medium	Completed	
2024	4	25	09:00	Team Building	HR	Outdoor Area	3h	1x	Low	Completed	
2024	5	1	10:00	Quarterly Review	Finance	Boardroom	3h	Quarterly	High	Completed	
2024	5	5	13:00	Employee Training	HR	Training Room	2h	Monthly	Medium	Ongoing	
2024	5	10	09:00	Vendor Meeting	Procurement	Vendor Office	1h	Bi-weekly	Medium	Ongoing	
2024	5	15	15:00	Market Analysis	Research	Research Lab	1.5h	Weekly	Medium	Ongoing	
2024	5	20	08:00	Compliance Check	Legal	Legal Dept	1h	Quarterly	High	Completed	
2024	5	25	11:00	System Upgrade	IT	IT Dept	4h	1x	Critical	In Progress	
2024	6	1	14:00	Customer Feedback	Support	Customer Center	1h	Weekly	Medium	Ongoing	
2024	6	5	10:00	Project Status	Project Mgmt	Project Room	1h	Daily	Low	Ongoing	
2024	6	10	16:00	Executive Briefing	Executive	Executive Office	1h	Weekly	High	Ongoing	
2024	6	15	09:00	Industry Conference	Networking	Convention Center	3h	1x	Medium	Completed	
2024	6	20	13:00	Partnership Meeting	Business Dev	Partner Office	1.5h	1x	High	Completed	
2024	6	25	11:00	Annual Report	Finance	Public Release	4h	1x	Critical	Completed	
2024	7	1	08:00	System Maintenance	IT	IT Dept	2h	Weekly	Medium	Ongoing	
2024	7	5	15:00	Internal Audit	Finance	Audit Room	2h	Quarterly	High	Completed	
2024	7	10	11:00	Client Onboarding	Sales	Client Office	1h	Weekly	Medium	Ongoing	
2024	7	15	14:00	Product Demo	Marketing	Trade Show	1h	1x	Medium	Completed	
2024	7	20	09:00	Team Building	HR	Outdoor Area	3h	1x	Low	Completed	
2024	7	25	10:00	Quarterly Review	Finance	Boardroom	3h	Quarterly	High	Completed	
2024	8	1	13:00	Employee Training	HR	Training Room	2h	Monthly	Medium	Ongoing	
2024	8	5	09:00	Vendor Meeting	Procurement	Vendor Office	1h	Bi-weekly	Medium	Ongoing	
2024	8	10	15:00	Market Analysis	Research	Research Lab	1.5h	Weekly	Medium	Ongoing	
2024	8	15	08:00	Compliance Check	Legal	Legal Dept	1h	Quarterly	High	Completed	
2024	8	20	11:00	System Upgrade	IT	IT Dept	4h	1x	Critical	In Progress	
2024	8	25	14:00	Customer Feedback	Support	Customer Center	1h	Weekly	Medium	Ongoing	
2024	9	1	10:00	Project Status	Project Mgmt	Project Room	1h	Daily	Low	Ongoing	
2024	9	5	16:00	Executive Briefing	Executive	Executive Office	1h	Weekly	High	Ongoing	
2024	9	10	09:00	Industry Conference	Networking	Convention Center	3h	1x	Medium	Completed	
2024	9	15	13:00	Partnership Meeting	Business Dev	Partner Office	1.5h	1x	High	Completed	
2024	9	20	11:00	Annual Report	Finance	Public Release	4h	1x	Critical	Completed	
2024	9	25	08:00	System Maintenance	IT	IT Dept	2h	Weekly	Medium	Ongoing	
2024	10	1	15:00	Internal Audit	Finance	Audit Room	2h	Quarterly	High	Completed	
2024	10	5	11:00	Client Onboarding	Sales	Client Office	1h	Weekly	Medium	Ongoing	
2024	10	10	14:00	Product Demo	Marketing	Trade Show	1h	1x	Medium	Completed	
2024	10	15	09:00	Team Building	HR	Outdoor Area	3h	1x	Low	Completed	
2024	10	20	10:00	Quarterly Review	Finance	Boardroom	3h	Quarterly	High	Completed	
2024	10	25	13:00	Employee Training	HR	Training Room	2h	Monthly	Medium	Ongoing	
2024	11	1	09:00	Vendor Meeting	Procurement	Vendor Office	1h	Bi-weekly	Medium	Ongoing	
2024	11	5	15:00	Market Analysis	Research	Research Lab	1.5h	Weekly	Medium	Ongoing	
2024	11	10	08:00	Compliance Check	Legal	Legal Dept	1h	Quarterly	High	Completed	
2024	11	15	11:00	System Upgrade	IT	IT Dept	4h	1x	Critical	In Progress	
2024	11	20	14:00	Customer Feedback	Support	Customer Center	1h	Weekly	Medium	Ongoing	
2024	11	25	10:00	Project Status	Project Mgmt	Project Room	1h	Daily	Low	Ongoing	
2024	12	1	16:00	Executive Briefing	Executive	Executive Office	1h	Weekly	High	Ongoing	
2024	12	5	09:00	Industry Conference	Networking	Convention Center	3h	1x	Medium	Completed	
2024	12	10	13:00	Partnership Meeting	Business Dev	Partner Office	1.5h	1x	High	Completed	
2024	12	15	11:00	Annual Report	Finance	Public Release	4h	1x	Critical	Completed	
2024	12	20	08:00	System Maintenance	IT	IT Dept	2h	Weekly	Medium	Ongoing	
2024	12	25	15:00	Internal Audit	Finance	Audit Room	2h	Quarterly	High	Completed	
2024	12	30	11:00	Client Onboarding	Sales	Client Office	1h	Weekly	Medium	Ongoing	







Year	Month	Day	Hour	Minute	Second	Latitude	Longitude	Altitude	Temperature	Humidity	Wind Speed	Wind Direction	Cloud Cover	Visibility	Pressure	Station ID	Instrument Type	Measurement Type	Value	Unit	Accuracy	Resolution	Scale	Offset	Gain	Calibration	Notes	Flags	Comments
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Temperature	10.0	C	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Temperature	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Humidity	50	%	±1	1	0	0	1.0	1013.25	1900	0.1	Humidity	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Wind Speed	10	km/h	±0.5	0.5	0	0	1.0	1013.25	1900	0.1	Wind Speed	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Wind Direction	0	deg	±1	1	0	0	1.0	1013.25	1900	0.1	Wind Direction	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Cloud Cover	0	%	±1	1	0	0	1.0	1013.25	1900	0.1	Cloud Cover	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Visibility	10	km	±0.5	0.5	0	0	1.0	1013.25	1900	0.1	Visibility	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Pressure	1013.25	hPa	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Pressure	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Station ID	1900	int	±1	1	0	0	1.0	1013.25	1900	0.1	Station ID	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Instrument Type	0.1	float	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Instrument Type	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Measurement Type	10.0	float	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Measurement Type	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Value	10.0	float	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Value	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Unit	C	string	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Unit	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Accuracy	±0.1	float	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Accuracy	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Resolution	0.1	float	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Resolution	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Scale	0	int	±1	1	0	0	1.0	1013.25	1900	0.1	Scale	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Offset	0	float	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Offset	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Gain	1.0	float	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Gain	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Calibration	1013.25	float	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Calibration	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Notes	10.0	string	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Notes	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Flags	0.1	float	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Flags	
2014	1	1	0	0	0	38.9072	-98.5795	1900	10.0	50	10	0	0	1013.25	1900	0.1	Comments	10.0	string	±0.1	0.1	0	0	1.0	1013.25	1900	0.1	Comments	

Year	Month	Day	Time	Location	Activity	Duration	Notes	Remarks
2023	1	1	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	2	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	3	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	4	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	5	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	6	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	7	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	8	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	9	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	10	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	11	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	12	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	13	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	14	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	15	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	16	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	17	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	18	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	19	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	20	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	21	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	22	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	23	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	24	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	25	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	26	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	27	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	28	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	29	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	30	08:00	Madrid	Work	8:00-17:00	Standard workday	
2023	1	31	08:00	Madrid	Work	8:00-17:00	Standard workday	







ID	Nome	Matrícula	Sexo	Idade	Estado	Local	Tipo de Imóvel	Valor de Venda	Valor de Avaliação	Data de Venda	Valor de Avaliação	Data de Avaliação	Valor de Venda	Valor de Avaliação	Data de Venda	Valor de Avaliação	Data de Avaliação	Valor de Venda	Valor de Avaliação	Data de Venda	Valor de Avaliação	Data de Avaliação
1001	ALDO	1001001	M	50	PR	PR	Imóvel Residencial	100000	100000	2018-01-01	100000	2018-01-01	100000	100000	2018-01-01	100000	2018-01-01	100000	100000	2018-01-01	100000	2018-01-01



















Year	Month	Day	Event	Location	Category	Score	Rank	Notes	Year	Month	Day	Event	Location	Category	Score	Rank	Notes	Year	Month	Day	Event	Location	Category	Score	Rank	Notes
2011	1	1	...	...	...	...	...	...	2011	1	1	...	...	...	...	...	...	2011	1	1	...	...	...	...	...	...
2011	1	2	...	...	...	...	...	...	2011	1	2	...	...	...	...	...	...	2011	1	2	...	...	...	...	...	...
2011	1	3	...	...	...	...	...	...	2011	1	3	...	...	...	...	...	...	2011	1	3	...	...	...	...	...	...
2011	1	4	...	...	...	...	...	...	2011	1	4	...	...	...	...	...	...	2011	1	4	...	...	...	...	...	...
2011	1	5	...	...	...	...	...	...	2011	1	5	...	...	...	...	...	...	2011	1	5	...	...	...	...	...	...
2011	1	6	...	...	...	...	...	...	2011	1	6	...	...	...	...	...	...	2011	1	6	...	...	...	...	...	...
2011	1	7	...	...	...	...	...	...	2011	1	7	...	...	...	...	...	...	2011	1	7	...	...	...	...	...	...
2011	1	8	...	...	...	...	...	...	2011	1	8	...	...	...	...	...	...	2011	1	8	...	...	...	...	...	...
2011	1	9	...	...	...	...	...	...	2011	1	9	...	...	...	...	...	...	2011	1	9	...	...	...	...	...	...
2011	1	10	...	...	...	...	...	...	2011	1	10	...	...	...	...	...	...	2011	1	10	...	...	...	...	...	...
2011	1	11	...	...	...	...	...	...	2011	1	11	...	...	...	...	...	...	2011	1	11	...	...	...	...	...	...
2011	1	12	...	...	...	...	...	...	2011	1	12	...	...	...	...	...	...	2011	1	12	...	...	...	...	...	...
2011	1	13	...	...	...	...	...	...	2011	1	13	...	...	...	...	...	...	2011	1	13	...	...	...	...	...	...
2011	1	14	...	...	...	...	...	...	2011	1	14	...	...	...	...	...	...	2011	1	14	...	...	...	...	...	...
2011	1	15	...	...	...	...	...	...	2011	1	15	...	...	...	...	...	...	2011	1	15	...	...	...	...	...	...
2011	1	16	...	...	...	...	...	...	2011	1	16	...	...	...	...	...	...	2011	1	16	...	...	...	...	...	...
2011	1	17	...	...	...	...	...	...	2011	1	17	...	...	...	...	...	...	2011	1	17	...	...	...	...	...	...
2011	1	18	...	...	...	...	...	...	2011	1	18	...	...	...	...	...	...	2011	1	18	...	...	...	...	...	...
2011	1	19	...	...	...	...	...	...	2011	1	19	...	...	...	...	...	...	2011	1	19	...	...	...	...	...	...
2011	1	20	...	...	...	...	...	...	2011	1	20	...	...	...	...	...	...	2011	1	20	...	...	...	...	...	...
2011	1	21	...	...	...	...	...	...	2011	1	21	...	...	...	...	...	...	2011	1	21	...	...	...	...	...	...
2011	1	22	...	...	...	...	...	...	2011	1	22	...	...	...	...	...	...	2011	1	22	...	...	...	...	...	...
2011	1	23	...	...	...	...	...	...	2011	1	23	...	...	...	...	...	...	2011	1	23	...	...	...	...	...	...
2011	1	24	...	...	...	...	...	...	2011	1	24	...	...	...	...	...	...	2011	1	24	...	...	...	...	...	...
2011	1	25	...	...	...	...	...	...	2011	1	25	...	...	...	...	...	...	2011	1	25	...	...	...	...	...	...
2011	1	26	...	...	...	...	...	...	2011	1	26	...	...	...	...	...	...	2011	1	26	...	...	...	...	...	...
2011	1	27	...	...	...	...	...	...	2011	1	27	...	...	...	...	...	...	2011	1	27	...	...	...	...	...	...
2011	1	28	...	...	...	...	...	...	2011	1	28	...	...	...	...	...	...	2011	1	28	...	...	...	...	...	...
2011	1	29	...	...	...	...	...	...	2011	1	29	...	...	...	...	...	...	2011	1	29	...	...	...	...	...	...
2011	1	30	...	...	...	...	...	...	2011	1	30	...	...	...	...	...	...	2011	1	30	...	...	...	...	...	...
2011	1	31	...	...	...	...	...	...	2011	1	31	...	...	...	...	...	...	2011	1	31	...	...	...	...	...	...











Year	Month	Day	Hour	Minute	Second	Latitude	Longitude	Altitude	Temperature	Humidity	Wind Speed	Wind Direction	Cloud Cover	Visibility	Pressure	Station ID	Instrument Type	Measurement Type	Value	Unit	Accuracy	Notes
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Temperature	10.0	°C	±0.1		
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Humidity	50	%	±1		
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Wind Speed	0.0	m/s	±0.1		
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Wind Direction	0	°	±1		
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Cloud Cover	0	%	±1		
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Visibility	0	m	±1		
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Pressure	1013.25	hPa	±0.1		
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Station ID	1609	Text			
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Instrument Type	ASD300	Text			
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Measurement Type	Temperature	Text			
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Value	10.0	Text			
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Unit	°C	Text			
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Accuracy	±0.1	Text			
2014	1	1	0	0	0	33.45	-111.98	1609	10.0	50	0.0	0	0	1013.25	1609	ASD300	Notes		Text			









Year	Month	Day	Hour	Minute	Second	Latitude	Longitude	Altitude	Temperature	Humidity	Wind Speed	Wind Direction	Cloud Cover	Visibility	Pressure	Station ID	Instrument Type	Measurement Type	Value	Unit	Accuracy	Notes
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Temperature	15.0	°C	±0.1		
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Humidity	50	%	±1		
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Wind Speed	10	m/s	±0.2		
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Wind Direction	090	°	±1		
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Cloud Cover	100	%	±1		
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Visibility	10000	m	±1		
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Pressure	1010	hPa	±0.1		
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Station ID	1010				
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Instrument Type	1010				
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Measurement Type	1010				
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Value	1010				
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Unit	1010				
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Accuracy	1010				
2014	1	1	0	0	0	10.0000	10.0000	1000	15.0	50	10	090	100	10000	1010	1010	Notes	1010				



Year	Month	Day	Hour	Minute	Second	Latitude	Longitude	Altitude	Temperature	Humidity	Wind Speed	Wind Direction	Cloud Cover	Visibility	Pressure	Station ID	Instrument Type	Measurement Type	Value	Unit	Accuracy	Notes
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Pressure	1013.25	hPa	±0.1		
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Temperature	10.0	°C	±0.1		
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Humidity	65	%	±1		
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Wind Speed	1.5	m/s	±0.1		
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Wind Direction	135	°	±1		
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Cloud Cover	100	%	±1		
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Visibility	10	m	±0.5		
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Pressure	1013.25	hPa	±0.1		
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Station ID	101325	Text			
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Instrument Type	Pressure	Text			
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Measurement Type	Pressure	Text			
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Value	1013.25	Text			
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Unit	hPa	Text			
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Accuracy	±0.1	Text			
2014	1	1	0	0	0	41.8819	87.6298	1219	10.0	65	1.5	135	100	10	1013.25	101325	Notes		Text			



Year	Month	Day	Time	Location	Activity	Participant	Duration	Frequency	Notes	Outcome	Feedback	Next Steps	Responsible	Status	Priority	Start Date	End Date	Progress %	Comments
2023	1	1	08:00	Room 101	Meeting	John Doe	1h	Weekly	Project X update	On track	Positive	Review progress	J.D.	Active	High	2023-01-01	2023-01-01	100%	Meeting completed successfully.
2023	1	2	09:00	Room 102	Training	Jane Smith	2h	Monthly	New software training	Good	Neutral	Provide resources	J.S.	Active	Medium	2023-01-02	2023-01-02	95%	Most participants engaged.
2023	1	3	14:00	Room 103	Workshop	Mike Johnson	3h	Quarterly	Customer feedback workshop	Excellent	Very Positive	Implement changes	M.J.	Active	High	2023-01-03	2023-01-03	100%	Key insights shared and discussed.
2023	1	4	10:00	Room 104	Conference	Sarah Lee	1.5h	Annual	Industry conference	Very Good	Positive	Network with peers	S.L.	Active	High	2023-01-04	2023-01-04	100%	Great networking opportunities.
2023	1	5	08:30	Room 105	Workshop	David Kim	2.5h	Bi-weekly	Product development workshop	Good	Neutral	Finalize prototype	D.K.	Active	Medium	2023-01-05	2023-01-05	80%	Prototype nearing completion.
2023	1	6	13:00	Room 106	Meeting	Emily White	1h	Weekly	Team sync	On track	Positive	Review tasks	E.W.	Active	Low	2023-01-06	2023-01-06	100%	Team aligned on goals.
2023	1	7	09:30	Room 107	Workshop	Chris Brown	3h	Quarterly	Marketing strategy workshop	Excellent	Very Positive	Develop campaign	C.B.	Active	High	2023-01-07	2023-01-07	100%	Clear marketing plan for Q2.
2023	1	8	11:00	Room 108	Conference	Alex Green	1.5h	Annual	Internal conference	Very Good	Positive	Share updates	A.G.	Active	High	2023-01-08	2023-01-08	100%	Successful internal communication.
2023	1	9	08:00	Room 109	Workshop	Mia Black	2h	Monthly	Customer service workshop	Good	Neutral	Improve skills	M.B.	Active	Medium	2023-01-09	2023-01-09	90%	Service team well-prepared.
2023	1	10	14:30	Room 110	Meeting	Noah Grey	1h	Weekly	Project Y update	On track	Positive	Review progress	N.G.	Active	High	2023-01-10	2023-01-10	100%	Project Y milestones met.
2023	1	11	09:00	Room 111	Training	Olivia Blue	2h	Monthly	Leadership training	Excellent	Very Positive	Develop leaders	O.B.	Active	High	2023-01-11	2023-01-11	100%	Leadership skills improved.
2023	1	12	10:30	Room 112	Workshop	Liam Red	2.5h	Quarterly	Product launch workshop	Good	Neutral	Prepare launch	L.R.	Active	Medium	2023-01-12	2023-01-12	85%	Launch preparations underway.
2023	1	13	08:00	Room 113	Conference	Ava Purple	1.5h	Annual	Industry conference	Very Good	Positive	Network with peers	A.P.	Active	High	2023-01-13	2023-01-13	100%	Great networking opportunities.
2023	1	14	11:30	Room 114	Workshop	Ethan Yellow	3h	Quarterly	Customer feedback workshop	Excellent	Very Positive	Implement changes	E.Y.	Active	High	2023-01-14	2023-01-14	100%	Key insights shared and discussed.
2023	1	15	09:00	Room 115	Meeting	Sophia Green	1h	Weekly	Team sync	On track	Positive	Review tasks	S.G.	Active	Low	2023-01-15	2023-01-15	100%	Team aligned on goals.
2023	1	16	10:00	Room 116	Workshop	Lucas Blue	2h	Monthly	Product development workshop	Good	Neutral	Finalize prototype	L.B.	Active	Medium	2023-01-16	2023-01-16	80%	Prototype nearing completion.
2023	1	17	13:00	Room 117	Conference	Zoe Red	1.5h	Annual	Internal conference	Very Good	Positive	Share updates	Z.R.	Active	High	2023-01-17	2023-01-17	100%	Successful internal communication.
2023	1	18	08:30	Room 118	Workshop	Mason Purple	2.5h	Quarterly	Marketing strategy workshop	Excellent	Very Positive	Develop campaign	M.P.	Active	High	2023-01-18	2023-01-18	100%	Clear marketing plan for Q2.
2023	1	19	11:00	Room 119	Meeting	Isabella Yellow	1h	Weekly	Project Z update	On track	Positive	Review progress	I.Y.	Active	High	2023-01-19	2023-01-19	100%	Project Z milestones met.
2023	1	20	09:30	Room 120	Training	Benjamin Green	2h	Monthly	New software training	Good	Neutral	Provide resources	B.G.	Active	Medium	2023-01-20	2023-01-20	95%	Most participants engaged.
2023	1	21	14:00	Room 121	Workshop	Charlotte Blue	3h	Quarterly	Customer feedback workshop	Excellent	Very Positive	Implement changes	C.B.	Active	High	2023-01-21	2023-01-21	100%	Key insights shared and discussed.
2023	1	22	10:00	Room 122	Conference	William Red	1.5h	Annual	Industry conference	Very Good	Positive	Network with peers	W.R.	Active	High	2023-01-22	2023-01-22	100%	Great networking opportunities.
2023	1	23	08:00	Room 123	Workshop	Harper Purple	2h	Monthly	Product development workshop	Good	Neutral	Finalize prototype	H.P.	Active	Medium	2023-01-23	2023-01-23	80%	Prototype nearing completion.
2023	1	24	13:00	Room 124	Meeting	Elijah Yellow	1h	Weekly	Team sync	On track	Positive	Review tasks	E.Y.	Active	Low	2023-01-24	2023-01-24	100%	Team aligned on goals.
2023	1	25	09:00	Room 125	Workshop	Avery Green	3h	Quarterly	Marketing strategy workshop	Excellent	Very Positive	Develop campaign	A.G.	Active	High	2023-01-25	2023-01-25	100%	Clear marketing plan for Q2.
2023	1	26	11:00	Room 126	Conference	Logan Blue	1.5h	Annual	Internal conference	Very Good	Positive	Share updates	L.B.	Active	High	2023-01-26	2023-01-26	100%	Successful internal communication.
2023	1	27	08:30	Room 127	Workshop	Madison Red	2.5h	Quarterly	Customer feedback workshop	Excellent	Very Positive	Implement changes	M.R.	Active	High	2023-01-27	2023-01-27	100%	Key insights shared and discussed.
2023	1	28	10:00	Room 128	Meeting	Caleb Purple	1h	Weekly	Project X update	On track	Positive	Review progress	C.P.	Active	High	2023-01-28	2023-01-28	100%	Project X milestones met.
2023	1	29	09:30	Room 129	Training	Scarlett Yellow	2h	Monthly	New software training	Good	Neutral	Provide resources	S.Y.	Active	Medium	2023-01-29	2023-01-29	95%	Most participants engaged.
2023	1	30	14:00	Room 130	Workshop	Isaac Green	3h	Quarterly	Customer feedback workshop	Excellent	Very Positive	Implement changes	I.G.	Active	High	2023-01-30	2023-01-30	100%	Key insights shared and discussed.
2023	1	31	10:00	Room 131	Conference	Chloe Blue	1.5h	Annual	Industry conference	Very Good	Positive	Network with peers	C.B.	Active	High	2023-01-31	2023-01-31	100%	Great networking opportunities.















Year	Month	Day	Time	Location	Activity	Duration	Cost	Remarks
2023	1	1	12:00	...	...	...	...	...
2023	1	2	12:00	...	...	...	...	...
2023	1	3	12:00	...	...	...	...	...
2023	1	4	12:00	...	...	...	...	...
2023	1	5	12:00	...	...	...	...	...
2023	1	31	12:00	...	...	...	...	...
2023	2	1	12:00	...	...	...	...	...
2023	2	2	12:00	...	...	...	...	...
2023	2	31	12:00	...	...	...	...	...
2023	3	1	12:00	...	...	...	...	...
2023	3	2	12:00	...	...	...	...	...
2023	3	31	12:00	...	...	...	...	...
2023	4	1	12:00	...	...	...	...	...
2023	4	2	12:00	...	...	...	...	...
2023	4	30	12:00	...	...	...	...	...
2023	5	1	12:00	...	...	...	...	...
2023	5	2	12:00	...	...	...	...	...
2023	5	31	12:00	...	...	...	...	...
2023	6	1	12:00	...	...	...	...	...
2023	6	2	12:00	...	...	...	...	...
2023	6	30	12:00	...	...	...	...	...
2023	7	1	12:00	...	...	...	...	...
2023	7	2	12:00	...	...	...	...	...
2023	7	31	12:00	...	...	...	...	...
2023	8	1	12:00	...	...	...	...	...
2023	8	2	12:00	...	...	...	...	...
2023	8	31	12:00	...	...	...	...	...
2023	9	1	12:00	...	...	...	...	...
2023	9	2	12:00	...	...	...	...	...
2023	9	30	12:00	...	...	...	...	...
2023	10	1	12:00	...	...	...	...	...
2023	10	2	12:00	...	...	...	...	...
2023	10	31	12:00	...	...	...	...	...
2023	11	1	12:00	...	...	...	...	...
2023	11	2	12:00	...	...	...	...	...
2023	11	30	12:00	...	...	...	...	...
2023	12	1	12:00	...	...	...	...	...
2023	12	2	12:00	...	...	...	...	...
2023	12	31	12:00	...	...	...	...	...



















Year	Month	Day	Hour	Minute	Second	Latitude	Longitude	Altitude	Temperature	Humidity	Wind Speed	Wind Direction	Cloud Cover	Visibility	Pressure	Station ID	Instrument Type	Measurement Type	Value	Unit	Accuracy	Resolution	Scale	Offset	Gain	Calibration	Notes
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Pressure	Pressure	1013.25	hPa	±0.1	0.01	1000	0.00	1.00	1013.25	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Temperature	Temperature	15.00	°C	±0.1	0.01	1000	0.00	1.00	15.00	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Humidity	Humidity	50.00	%	±1.0	0.1	1000	0.00	1.00	50.00	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Wind Speed	Wind Speed	0.00	m/s	±0.1	0.01	1000	0.00	1.00	0.00	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Wind Direction	Wind Direction	0.00	°	±1.0	0.1	1000	0.00	1.00	0.00	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Cloud Cover	Cloud Cover	0.00	%	±1.0	0.1	1000	0.00	1.00	0.00	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Visibility	Visibility	10.00	km	±0.1	0.01	1000	0.00	1.00	10.00	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Pressure	Pressure	1013.25	hPa	±0.1	0.01	1000	0.00	1.00	1013.25	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Station ID	Station ID	000000							000000	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Instrument Type	Instrument Type	Pressure							Pressure	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Measurement Type	Measurement Type	Pressure							Pressure	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Value	Value	1013.25							1013.25	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Unit	Unit	hPa							hPa	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Accuracy	Accuracy	±0.1							±0.1	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Resolution	Resolution	0.01							0.01	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Scale	Scale	1000							1000	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Offset	Offset	0.00							0.00	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Gain	Gain	1.00							1.00	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Calibration	Calibration	1013.25							1013.25	Standard atmosphere
2014	1	1	0	0	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	000000	Notes	Notes	Standard atmosphere							Standard atmosphere	Standard atmosphere



ID	Nombre	Apellido	Cod. Documento	Cod. Centro	Cod. Curso	Cod. Año	Cod. Semestre	Cod. Sección	Cod. Asignatura	Cod. Profesor	Cod. Hora	Cod. Sala	Cod. Estado	Apellido	Nombre	Cod. Documento	Cod. Centro	Cod. Curso	Cod. Año	Cod. Semestre	Cod. Sección	Cod. Asignatura	Cod. Profesor	Cod. Hora	Cod. Sala	Cod. Estado	Apellido	Nombre	Cod. Documento	Cod. Centro	Cod. Curso	Cod. Año	Cod. Semestre	Cod. Sección	Cod. Asignatura	Cod. Profesor	Cod. Hora	Cod. Sala	Cod. Estado
0001	ALFARO	JUAN	00000001	01	101	2000	1	101	Matemática	0001	1	101	A	ALFARO	JUAN	00000001	01	101	2000	1	101	Matemática	0001	1	101	A	ALFARO	JUAN	00000001	01	101	2000	1	101	Matemática	0001	1	101	A
0002	ALFARO	JUAN	00000002	01	101	2000	2	101	Matemática	0001	2	101	A	ALFARO	JUAN	00000002	01	101	2000	2	101	Matemática	0001	2	101	A	ALFARO	JUAN	00000002	01	101	2000	2	101	Matemática	0001	2	101	A
0003	ALFARO	JUAN	00000003	01	101	2000	3	101	Matemática	0001	3	101	A	ALFARO	JUAN	00000003	01	101	2000	3	101	Matemática	0001	3	101	A	ALFARO	JUAN	00000003	01	101	2000	3	101	Matemática	0001	3	101	A
0004	ALFARO	JUAN	00000004	01	101	2000	4	101	Matemática	0001	4	101	A	ALFARO	JUAN	00000004	01	101	2000	4	101	Matemática	0001	4	101	A	ALFARO	JUAN	00000004	01	101	2000	4	101	Matemática	0001	4	101	A
0005	ALFARO	JUAN	00000005	01	101	2000	5	101	Matemática	0001	5	101	A	ALFARO	JUAN	00000005	01	101	2000	5	101	Matemática	0001	5	101	A	ALFARO	JUAN	00000005	01	101	2000	5	101	Matemática	0001	5	101	A
0006	ALFARO	JUAN	00000006	01	101	2000	6	101	Matemática	0001	6	101	A	ALFARO	JUAN	00000006	01	101	2000	6	101	Matemática	0001	6	101	A	ALFARO	JUAN	00000006	01	101	2000	6	101	Matemática	0001	6	101	A
0007	ALFARO	JUAN	00000007	01	101	2000	7	101	Matemática	0001	7	101	A	ALFARO	JUAN	00000007	01	101	2000	7	101	Matemática	0001	7	101	A	ALFARO	JUAN	00000007	01	101	2000	7	101	Matemática	0001	7	101	A
0008	ALFARO	JUAN	00000008	01	101	2000	8	101	Matemática	0001	8	101	A	ALFARO	JUAN	00000008	01	101	2000	8	101	Matemática	0001	8	101	A	ALFARO	JUAN	00000008	01	101	2000	8	101	Matemática	0001	8	101	A
0009	ALFARO	JUAN	00000009	01	101	2000	9	101	Matemática	0001	9	101	A	ALFARO	JUAN	00000009	01	101	2000	9	101	Matemática	0001	9	101	A	ALFARO	JUAN	00000009	01	101	2000	9	101	Matemática	0001	9	101	A
0010	ALFARO	JUAN	00000010	01	101	2000	10	101	Matemática	0001	10	101	A	ALFARO	JUAN	00000010	01	101	2000	10	101	Matemática	0001	10	101	A	ALFARO	JUAN	00000010	01	101	2000	10	101	Matemática	0001	10	101	A







Year	Month	Day	Hour	Minute	Second	Millisecond	Microsecond	Nanosecond	Decisecond	Centisecond	Decicentisecond	Decimillisecond	Decimicrosecond	Decinanonosecond	Decidecisecond	Decidecimillisecond	Decidecimicrosecond	Decideciminanonosecond	Decidecidecisecond	Decidecidecimillisecond	Decidecidecimicrosecond	Decidecidecinanonosecond	Decidecidecidecisecond	Decidecidecidecimillisecond	Decidecidecidecimicrosecond	Decidecidecinanonosecond
2001	1	1	00	00	00	000	000000	000000000	0000000000	00000000000	000000000000	0000000000000	00000000000000	000000000000000	0000000000000000	00000000000000000	000000000000000000	0000000000000000000	00000000000000000000	000000000000000000000	0000000000000000000000	00000000000000000000000	000000000000000000000000	0000000000000000000000000	00000000000000000000000000	

Year	Month	Day	Hour	Minute	Second	Latitude	Longitude	Altitude	Temperature	Humidity	Wind Speed	Wind Direction	Pressure	Cloud Cover	Visibility	Station ID	Instrument Type	Measurement Type	Accuracy	Resolution	Sampling Rate	Data Source	Notes
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Temperature	Point	±0.1	0.1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Humidity	Point	±1	1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Wind Speed	Point	±0.1	0.1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Wind Direction	Point	±1	1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Pressure	Point	±0.1	0.1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Cloud Cover	Point	±1	1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Visibility	Point	±0.1	0.1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Station ID	Point	±1	1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Instrument Type	Point	±1	1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Measurement Type	Point	±1	1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Accuracy	Point	±1	1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Resolution	Point	±1	1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Sampling Rate	Point	±1	1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Data Source	Point	±1	1	1	16090101	
2017	1	1	0	0	0	41.8819	87.6298	1609	-10.0	50	0.0	0	1013.25	0	10	16090101	Notes	Point	±1	1	1	16090101	

Year	Month	Day	Hour	Minute	Second	Latitude	Longitude	Altitude	Temperature	Humidity	Wind Speed	Wind Direction	Cloud Cover	Visibility	Pressure	Station ID	Instrument Type	Measurement Type	Value	Unit	Accuracy	Resolution	Scale	Offset	Correction	Notes
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	10	1013.25	1013.25	Temperature	15.0	°C	±0.1	0.1	0	0.0			
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Humidity	65	%	±1	1	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Wind Speed	2.0	m/s	±0.1	0.1	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Wind Direction	180	°	±1	1	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Cloud Cover	100	%	±1	1	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Visibility	10	m	±0.1	0.1	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Pressure	1013.25	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Station ID	1013.25	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Instrument Type	1013.25	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Measurement Type	1013.25	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Value	1013.25	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Unit	hPa	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Accuracy	±0.01	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Resolution	0.01	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Scale	0	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Offset	0	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Correction	0	hPa	±0.01	0.01	0	0	0	0		
2014	1	1	0	0	0	45.76	12.10	1000	15.0	65	2.0	180	100	1013.25	1013.25	Notes		hPa	±0.01	0.01	0	0	0	0		